Author Index

Abdelkarim, A., 15
Agarwal, P. K., 159
Allen, N. R., 83
Ando, K., 61
Atakül, H., 77

Beckers, G. J. J., 245
Besançon, P., 205
Brereton, C. M. H., 121

Chang, H., 197
Chaouki, J., 121
Chastang, J., 205
Chijoda, N., 191
Choi, C. S., 215

Doh, D. S., 215
Duncan-Hewitt, W. C., 265

Ekinci, F., 77
Endoh, S., 191

Gandolfi, E. A. J., 273
Geldart, D., 1
Gottlieb, P., 83
Grace, J. R., 121

Hanumanth, G. S., 131
Hasegawa, M., 259
Holman, L. E., 249
Hong, S. C., 215
Honma, T., 259
Humphrey, P., 39
Hussain, M. S. H., 39

Jo, B. R., 215
Johannsson, M.-E., 15

Kanda, Y., 259
Kolymbas, D., 99
Kuga, Y., 191

Lafaye, A., 205
Lafaye, J.-M., 205
Laslett, G. M., 83
Legros, R., 121
Leuneberger, H., 249
Li, H., 121
Lim, K. S., 159
Louge, M., 197
Löffler, F., 173

Ma, D. N., 223
Makhijani, V., 223
Malhotra, K., 179
Mujumdar, A. S., 179

Nienow, A. W., 145

O'Neill, B. K., 159
Obata, E., 61
Okazaki, M., 179
Osborne, N., 15

Pacek, A. W., 145

Rhodes, J., 27
Roco, M. C., 223

Sadeghnejad, G., 15
Schmidt, E., 173
Stanley-Wood, N. G., 15, 61
Sutherland, D. N., 83

Takahashi, H., 61
Takeuchi, K., 191
Timmins, P., 39
Trass, O., 273
Turner, M. C., 47

Veringa, H. J., 245

Williams, D. J. A., 131
Woodcock, L. V., 47
Wu Wei, 99

York, P., 39

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aerogel powder
  hydrodynamic behaviour of, in high-velocity fluidized beds, 121
Agglomeration
  in lignite ash flotsam- and jetsam-rich systems, 77

Binary powder mixtures and compacts
  effect of varying the composition of, on their properties: a percolation phenomenon, 249
Bromine-exfoliated graphite
  and natural graphite, grinding characteristics of, 191
Bubble parameters
  in a two-dimensional gas-fluidized bed, measurement and modelling of, using image analysis, 159

China clay
  experimental study of effects of froth height on flotation of, 131
Compaction stress
  uniaxial, variation in, and correlation of, the energetic potential and surface areas of powders with degree of, 15
Composition of binary powder mixtures and compacts
  effect on their properties: a percolation phenomenon, 249

Determination of minimum fluidization velocity
  by statistical analysis of pressure fluctuations in a gas–solid fluidized bed, 215
Dimensional conversion
  of granulometric distributions, 205
Dust cakes
  preparation for microscopic examination, 173

Effect(s)
  of froth height on flotation of china clay, experimental study of, 131
  of magnesium stearate distribution on the physico-technical properties of sodium chloride tablets, secondary ion mass spectrometry (SIMS) evaluation of, 39
  of mill diameter on rate of initial grinding in vibration ball mills, 259
  of varying the composition of binary powder mixtures and compacts on their properties: a percolation phenomenon, 249
Energetic potential of powders
  variation in, and correlation of, with degree of uniaxial compaction stress, 15
Estimation of basic particle properties
  for use in fluid–particle process calculations, 1
Experimental study of effects of froth height on flotation of china clay, 131

Fine grinding of mica
  in the Szego mill, 273
Flotation of china clay
  experimental study of effects of froth height on, 131
Flow patterns of particles
  in a mechanically stirred two-dimensional cylindrical vessel, 179
Flow structure of upward-flowing gas–solids suspensions
  modelling of, 27
Fluid–particle process calculations
  estimation of basic particle properties for use in, 1
Fluidization
  of fine and very dense hardmetal powders, 145
Fluidized beds
  gas–solid, determination of minimum fluidization velocity by statistical analysis of pressure fluctuations in, 215
  high-velocity, hydrodynamic behaviour of aerogel powder in, 121
Friction
  dry, probabilistic micromechanical model for two-dimensional slow particulate flow, 223
Froth height effects
  on flotation of china clay, experimental study of, 131

Gas-fluidized bed
  two-dimensional, measurement and modelling of bubble parameters in, using image analysis, 159
Gas–solid fluidized bed
  determination of minimum fluidization velocity by statistical analysis of pressure fluctuations in a, 215
Gas–solid risers
  vertical, pressure and voidage gradients in, 197
Gas–solid suspensions
  upward-flowing, modelling flow structure of, 27
Granular flow
  rapid, scaling laws for, 47
Granular materials
  recent results of triaxial tests with, 99
Granulometric distributions
  dimensional conversion of, 205
Graphical assessment of a random breakage model for mineral liberation, 83
Graphite
  bromine-exfoliated and natural, grinding characteristics of, 191
Grinding
  fine, of mica in the Szego mill, 273
  initial, in vibration ball mills, effect of mill diameter on rate of, 259
Grinding characteristics
  of bromine-exfoliaged graphite and natural graphite, 191

© Elsevier Sequoia/Printed in The Netherlands

Hardmetal powders
fine and very dense, fluidization of, 145
Horiba CAPA-500
some restrictions in particle sizing with, 245
Hydrodynamic behaviour
of aerogel powder in high-velocity fluidized beds, 121

Image analysis
used for measurement and modelling of bubble parameters in a two-dimensional gas-fluidized bed, 159

Lignite ash flotsam- and jetsam-rich systems
agglomeration in, 77
Liquid fluidization curves, 61

Magnesium stearate distribution
secondary ion mass spectrometry (SIMS) evaluation of, 39
Measurement and modelling of bubble parameters in a two-dimensional gas-fluidized bed using image analysis, 159
Mica
fine grinding of, in the Szego mill, 273
Mircoscopic examination
preparation of dust cakes for, 173
Mill diameter
effect of, on rate of initial grinding in vibration ball mills, 259
Minimum fluidization velocity
determination of, by statistical analysis of pressure fluctuations in a gas–solid fluidized bed, 215
Model of random breakage
for mineral liberation, graphical assessment of, 83
Modelling and measurement of bubble parameters in a two-dimensional gas-fluidized bed using image analysis, 159
Modelling flow structure
of upward-flowing gas–solids suspensions, 27

Particle flow patterns
in a mechanically stirred two-dimensional cylindrical vessel, 179
Particle properties
basic, for use in fluid–particle process calculations, estimation of, 1
Particle sizing
with the Horiba CAPA-500, 245
Particulate flow
two-dimensional slow, probabilistic micromechanical model for, 223
Pharmaceutical compacts
predicting relative rate of wear of, using the mechanical properties of their constituent crystals, 265
Powders
aerogel, hydrodynamic behaviour in high velocity fluidized beds, 121
hardmetal, fine and very dense, fluidization of, 145
Predicting relative rate of wear of pharmaceutical compacts using the mechanical properties of their constituent crystals, 265
Preparation of dust cakes
for microscopic examination, 173
Pressure and voidage gradients
in vertical gas–solid risers, 197
Probabilistic micromechanical model for two-dimensional slow particulate flow: dry friction, 223

Random breakage model
for mineral liberation, graphical assessment of, 83
Recent results of triaxial tests with granular materials, 99

Scaling laws
for rapid granular flow, 47
Secondary ion mass spectrometry (SIMS) evaluation of magnesium stearate distribution, and its effects on the physico-technical properties of sodium chloride tablets, 39
Sodium chloride tablets
secondary ion mass spectrometry (SIMS) evaluation of magnesium stearate distribution and its effects on the physico-technical properties of, 39
Some restrictions in particle sizing
with the Horiba CAPA-500, 245
Statistical analysis
of pressure fluctuations in a gas–solid fluidized bed to determine minimum fluidization velocity, 215
Surface areas of powders
variation in, and correlation of, with degree of uniaxial compaction stress, 15
Szego mill
fine grinding of mica in, 273

Triaxial tests with granular materials
recent results of, 99

Vibration ball mills
effect of mill diameter on rate of initial grinding in, 259
Voidage and pressure gradients
in vertical gas–solid risers, 197

Wear of pharmaceutical compacts
predicting relative rate of, using the mechanical properties of their constituent crystals, 265